



Dart Aerospace Ltd.
1270 Aberdeen St
Hawkesbury, ON
K6A 1K7
Canada

Tel (613) 632-5200

PURCHASE ORDER **PO041051**

Supplier: MES002-VC
Metaux Solutions
2625 boul Jacques-Cartier Est
Longueuil
QC
J4N 1L7 Canada
Phone: 800 558 8858
Fax: 514 633 8044

PO No: PO041051

PO Date: 9/18/18

Due Date: 9/24/18

Purchase Order

Revision:

Revision Date:

Ship-To Contact: Phone:

E-MAILED
SEP 19 2018

Ship To: 1270 Aberdeen Street
Hawkesbury
ON
K6A 1K7 Canada
Phone: 613-632-5200

Via: Ground

Pymt Terms: Net 30

Freight Terms:

Special Comments: BID NO. 29032,29089, 29087

Items												
Line Item	Job	Part	Supplier Part No	Description	Status	Account	Due Date	Order Quantity	Received Quantity	Balance	Unit Price (CAD)	Extended Price
1 M		M1018S.250	HP14	M1018S.250 : AISI 1010-1025 OR ASTM A36/A366/A1008 OR CSA G40-21, 38W/44W/50W/60W/70W NO SCALE ON SHEET MINIMUM YIELD TENSILE STRENGTH= 28KSI MINIMUM ULIMATE TENSILE STRENGTH= 42KSI COLD ROLLED receive sf	Firmed	-	9/24/18	16 sf ✓	0 sf 16sf	16 sf AT 18/10/01	\$13.30/sf	\$212.80
2 M		MT-4140-S-0.750	MP3441H	AISI 4140 / 4142 Steel Sheet 0.750" : MATERIAL: AISI 4140 / 4142 STEEL SHEET OR PLATE MINIMUM ROCKWELL C = 28 Rc MAXIMUM ROCKWELL C = 32 Rc AS PER ASTM A829, AMS 6395	Firmed	-	9/24/18	11.333 sf ✓	0 sf 11.25sf	11 sf AT 18/10/02	\$113.65/sf	\$1,288.00
3 M		M304R0.750	SR344	304 SS Roundbar .750 : MATERIAL: AISI 304/316 SS ROUND BAR AS PER ASTM A276 NOTE: AISI 303 NOT ACCEPTABLE receive ft	Firmed	-	9/24/18	12 ft 1	0 ft 12ft	12 ft AT 18/10/01	\$7.60/ft	\$91.20



Dart Aerospace Ltd.
1270 Aberdeen St
Hawkesbury, ON
K6A 1K7
Canada

Tel (613) 632-5200

PURCHASE ORDER **PO041051**

Items

Line Item	Job	Part	Supplier Part No	Description	Status	Account	Due Date	Order Quantity	Received Quantity	Balance	Unit Price (CAD)	Extended Price
4 / 1		M6061T6B1.000X02.000	AF12	6061-T6 Bar 1.00 X 2.00 : MATERIAL: 6061-T6/T651/T6510/T6511/T62 ALUMINUM BAR PER QQ-A-225/8 OR AMS-QQ-A-225/8 OR AMS 4117/4128/4115/4116 OR QQ-A-200/8 OR AMS-QQ-A-200/8 OR AMS 4160 OR ASTM B211 OR ASTM B221 receive ft	Firmed	-	9/24/18	48 ft	0 ft	48 ft	\$11.05/ft	\$530.40
5 / 1	*	Mt-4140-S-1.500X3.000	MP11241H	4140 Steel Bar 1.500 X 3.000 : AISI 4140N STEEL SHEET OR PLATE AS PER ASTM A829 OR AMS 6395 MIN: ROCKWELL C = 28 RC MAX: ROCKWELL C = 32 RC receive ft	Firmed	-	9/24/18	4 ft	0 ft	4 ft	\$49.30/ft	\$197.20
6 / 1	*	MT-4140-S-2.000X6.000	MP241H	4140 Steel Plate 2.000" X 6.000" : AISI 4140N STEEL SHEET OR PLATE AS PER ASTM A829 OR AMS 6395 MIN: ROCKWELL C = 28 RC MAX: ROCKWELL C = 32 RC	Firmed	-	9/24/18	4 ft	0 ft	4 ft	\$126.15/ft	\$504.60
7 / 1	*	MT-4140-S-1.250X2.125	MP11441H	AISI 4140 / 4142 Steel Plate 1.250" X 2.125" : AISI 4140N STEEL SHEET OR PLATE AS PER ASTM A829 OR AMS 6395 MIN: ROCKWELL C = 28 RC MAX: ROCKWELL C = 32 RC	Firmed	-	9/28/18	6 ft	0 ft	6 ft	\$30.45/ft	\$182.70
8 / 1		M6061T6B1.500X3.500	AF112312	6061T6 Bar 1.500 X 3.500 : MATERIAL: 6061-T6/T651/T6510/T6511/T62 ALUMINUM BAR PER QQ-A-225/8 OR AMS-QQ-A-225/8 OR AMS 4117/4128/4115/4116 OR QQ-A-200/8 OR AMS-QQ-A-200/8 OR AMS 4160 OR ASTM B211 OR ASTM B221 receive ft	Firmed	-	9/28/18	6 ft	0 ft	6 ft	\$44.45/ft	\$266.70



Dart Aerospace Ltd.
1270 Aberdeen St
Hawkesbury, ON
K6A 1K7
Canada

Tel (613) 632-5200

PURCHASE ORDER **PO041051**

Items												
Line Item	Job	Part	Supplier Part No	Description	Status	Account	Due Date	Order Quantity	Received Quantity	Balance	Unit Price (CAD)	Extended Price
9 ✓ AT		M6061T6S.080	AS08061	6061-T6 .080 Sheet : MATERIAL: 6061-T6/T62 ALUMINUM SHEET AS PER QQ-A-250/11 OR AMS-QQ-A-250/11 OR AMS 4025 OR AMS 4027 OR ASTM B209 receive sf	Firmed	-	9/28/18	96 sf ✓	0 sf 96sf	96 sf AT 18/10/01	\$10.90/sf	\$1,046.40
10 ✓ AT		M304B0.375X03.000		M304 SS bar .375 x 3.00 : MATERIAL: AISI 304/316 SS BAR OR AISI 304/316 SS PLATE AS PER ASTM A276 OR ASTM A240 NOTE: AISI 303 NOT ACCEPTABLE receive ft	Firmed	-	9/28/18	12 ft ✓	0 ft 12ft	12 ft AT 18/10/01	\$21.10/ft	\$253.20
11 ✓ AT		M304R0.375	SR384	304 Round Bar 0.375 : MATERIAL: AISI 304/316 SS ROUND BAR AS PER ASTM A276 NOTE: AISI 303 NOT ACCEPTABLE receive ft	Firmed	-	9/28/18	36 ft ✓	0 ft 12ft	36 ft AT 18/10/01	\$2.75/ft	\$99.00
12 ✓ AT		M303R0.750	SR343	303 Round Bar 0.750 : MATERIAL: AISI 303 SS ROUND BAR AS PER ASTM A582 NOTE: 304/316 NOT ACCEPTABLE receive ft	Firmed	-	9/28/18	12 ft ✓	0 ft 12ft	12 ft AT 18/10/01	\$7.86/ft	\$94.32
13 ✓ AT		M304B0.250x0.500		304 Bar .250 X .500 : MATERIAL: AISI 304/316 SS BAR OR AISI 304/316 SS PLATE AS PER ASTM A276 OR ASTM A240 NOTE: AISI 303 NOT ACCEPTABLE receive ft	Firmed	-	9/24/18	500 pcs ✓	0 pcs 520x	500 pcs AT 18/10/02	\$4.0521/pcs	\$2,026.05
Grand Total:											\$6,792.57	

Order Notes

Procurement Quality Clauses

A005 right of entry
A012 chemical and physical test report
A016 personnel qualification
A017 raw material identification (as applicable)
A026 certification of material conformance
A041 quality management system
A042 dart notification by supplier
A043 retention of quality documents

A048 counterfeit parts avoidance, detection, mitigation and disposition program

A049 supplier awareness

Terms & Condition of Purchasing(Suppliers) and Procurement Quality Clauses are an integral part of our AS9100 requirements. To learn in detail, please visit www.dartaerospace.com for further explanation.

METALX SOLUTIONS INC
2625 BOUL JACQUES CARTIER EST
LONGUEUIL, QUEBEC
J4N 1L7 **Tel. : 450 641-3330**

Shipping Order 02/10/2018

Order : 185133
Reference : 41051
Bid : 29089
Ship : PICK UP / PICK UP

Customer : 6323336

Ship To

DART AEROSPACE LTD
1270, ABERDEEN STREET
HAWKESBURY, ONTARIO
K6A 1K7

Same

Tel.: 1 613 632-3336

Item No.	Description	Qty	Qty. Deliver	B/O Qty
	***** FACTURER E-MAIL ***** SUPER IMPORTANT SUR LE PACKING SLIP INSCRIRE LES HEAT N			
	***** FACTURER E-MAIL ***** SUPER IMPORTANT SUR LE PACKING SLIP INSCRIRE LES HEAT N			
	***** FACTURER E-MAIL ***** SUPER IMPORTANT SUR LE PACKING SLIP INSCRIRE LES HEAT N			
HP14	MS PLATE .250 1 x 4' x 4' ht;154894	16		
MP3441H	4140 HTSR TFA PLATE .750 THICK P.M 1 x 33.75" x 48" ht; 94790 AT	368		
SR344	304 ROU .750 DIA 1 X 12' R/L ***** HT;644D	12		
AF12	ALU FLA 1.000 X 2.000 6061-T6 4 X 12' **** HT;73242	48		
MP11241H	4140 HTSR PLATE 1.5" THICK 1 X 3" X 48" HT; 94789 AT	68		
MP241H	4140 HTSR PLATE 2.035" THICK 1 X 6" X 48" HT 94960 AT	174		
MP11441H	4140 HTSR PLATE 1.250" THICK	63		

*** Continued on Next Page ***

METAUX SOLUTIONS INC
2625 BOUL JACQUES CARTIER EST
LONGUEUIL, QUEBEC
J4N 1L7

Tel.: 450 641-3330

Customer: 6323336

Shipping Order

02/10/2018

Order : 185133
Reference : 41051
Bid : 29089
Ship : PICK UP / PICK UP

DART AEROSPACE LTD
1270, ABERDEEN STREET
HAWKESBURY, ONTARIO
K6A 1K7

Ship To

Same

Tel.: 1 613 632-3336

Item No.	Description	Qty	Qty. Delivered	B/O Qty
AF112312	1 X 2 125" X 72" HT:94492 <i>AT</i> ALUM. FLAT 1.5 X 3.5 6061-T6 1 X 72" ***** HT:z00114141	6		
AS08061	ALU SHE .080 6061-T6 (12G) 2 X 4' X 12' HT:427791	96		
SF3834	304 FLA .375 X 3.000 1 X 12' R/L HT:L5E7	12		
SR384	304 ROU .375 DIA 1 X 12' R/L HT:1802AR4796	12		
SR343	303 ROU .750 DIA 1 X 12' R/L HT:819E	12		
SF14124HR	304 STAIN FLA .25" X .500" HR 40 X 13' R/L HT:67736108 <i>AT</i> LIVRE NOTRE CAMION JP	520		

Page : 2

Shipping : _____

Package No : _____

Merchandise Received: _____

Ref. : _____

CERTIFICAT D'ANALYSE

DART AEROSPACE LTD
1270, ABERDEEN STREET
HAWKESBURY, ONTARIO
K6A 1K7

2 oct. 2018

Part Number: MST15000 Shipped Qty: 2,115 Pounds

MST15000

2,115 Pounds

Plate 1-1/2 4140/42 Prehard

33.87500 x 144.37500

ASTM A-829

DFARS Compliant

Country of Origin: USA

Lot: 426121A

PM Heat: 94789

BHN: 288

C: 0.4300	Mn: 0.8100	P: 0.0100	S: 0.0090	Si: 0.2400
Cr: 0.9000	Mo: 0.1800	Cu: 0.2200	V: 0.0450	Ni: 0.1200


ITEM 5: 1 X 3" X 48"

COMMANDE : 138217

REF : 41051

Métaux Solutions inc. certifie que les analyses sur ce document sont exactes et que le matériel rencontre les spécifications énumérées.

Préparé par



REV.	DESCRIPTION	ECN #	DATE	BY	APPROVED
A	NEW ISSUE	18-544	18.2.13	VM	ML


SPECIFICATION CONTROL DRAWING

PURCHASE MATERIAL : AISI 4140 / 4142 STEEL SHEET OR PLATE
 MINIMUM ROCKWELL C = 28 Rc
 MAXIMUM ROCKWELL C = 32 Rc

SPECIFICATION: ASTM A829, AMS 6395

PART NUMBER: MT-4140-S-[T.TT] x [W.WWW]
 WHERE "T.TT" = THICKNESS IN INCHES
 WHERE "W.WWW" = WIDTH IN INCHES (OPTIONAL FOR SPECIFYING CUT PLATE)

EX. 0.063" THICK SHEET = MT-4140-S-0.063
 EX. 3.5" WIDE BY 0.500" THICK PLATE = MT-4140-S-0.500X3.500

 DART AEROSPACE		TITLE AISI 4140 / 4142 STEEL SHEET OR PLATE	
PART NO. MT-4140-S		REV. A	
TOOL NO.		DIMENSIONS CONTAINED IN SPECIFICATIONS DIMENSIONS ARE IN INCHES DIMENSIONS APPLY AFTER FINISHING	
DESIGNED BY: VM 2/13/2018 DRAWN BY: VM 02/13/2018 CHECKED BY: VM 02/13/2018 MFG REVIEW BY: ML 02/13/2018 APPROVED BY: ML 02/13/2018		TOLERANCES: FRACTIONS ± 1/8 DECIMALS ± .005 SURFACE ROUGHNESS SCALE: NTS SHEET 1 OF 1	
THIS DRAWING IS THE PROPERTY OF DART AEROSPACE LTD. IT IS TO BE USED ONLY FOR THE PURPOSES SPECIFIED HEREIN. ANY REPRODUCTION OR USE WITHOUT PERMISSION IS PROHIBITED.			

MATERIAL RECEIPT INSPECTION FORM

MATERIAL: MT-4140-S-1.500x3.000
 DATE: 18/10/09

PO / BATCH NO.: P0041051/5115230

MATERIAL CERT REC'D: Yes
 QUANTITY RECEIVED: 4ft
 QUANTITY INSPECTED: 4ft
 QUANTITY REJECTED: 0

THICKNESS ORDERED: 1.500"
 THICKNESS RECEIVED: 1.500"
 SHEET SIZE ORDERED: —
 SHEET SIZE RECEIVED: —

DESCRIPTION	NCR (Check Y/N)	COMMENTS
SURFACE DAMAGE	Y (N)	
CORRECT FINISH	(Y) N	
CORROSION	Y (N)	
CORRECT GRAIN DIRECTION	(Y) N	
CORRECT MATERIAL PER M-DRAWING	(Y) N	ASTM A-821
CORRECT THICKNESS	(Y) N	
PHOTO REQUIRED	Y (N)	
CORRECT REF # TO LINK CERT	(Y) N	MT-94789
CORRECT MATERIAL IDENTIFICATION	(Y) N	
CORRECT M# ON THE MATERIAL	(Y) N	
DOES THIS MATERIAL REQUIRE ENGINEERING SIGN OFF	Y (N)	
DOES THIS REQUIRE AN EXTRUSION REPORT	Y (N)	

CUT SAMPLE PIECE OF MATERIAL AND PREFORM A HARDNESS CHECK.
 RECORD RESULTS BELOW

	HRC	HRB	DUR A	DUR D	WEBSTER
TYPE OF MATERIAL					
SIZE OF TEST SAMPLE					
HARDNESS / DUROMETER READING					

testers located in the Quality Office

QC 18 INSPECTION		ENGINEERING SIGNOFF (if required)	
INSPECTED BY: <u>MT</u>		SIGNED OFF BY: _____	
DATE: <u>18/10/09</u>		DATE: _____	

Attach this inspection sheet with the corresponding material cert and remit to be scanned and received in

CERTIFICAT D'ANALYSE

DART AEROSPACE LTD
1270, ABERDEEN STREET
HAWKESBURY, ONTARIO
K6A 1K7

2 oct. 2018

Part Number/Description	Shipped Qty
-------------------------	-------------

MST20000

2,870 Pounds

Plate 2 4140/42 Prehard

34 12500 x 146.43750

ASTM A-829

DFARS Compliant

Country of Origin: SLOVENIA

Lot: 426892A

PM Heat: 94960

BHN: 316

C: 0.4000	Mn: 0.7550	P: 0.0110	S: 0.0010	Si: 0.2150
Cr: 0.9600	Mo: 0.1700	Cu: 0.2360	V: 0.0380	Ni: 0.1500


ITEM 6: 1 X 6" X 48"

COMMANDE : 138217

REF : 41051

Métaux Solutions inc. certifie que les analyses sur ce document sont exactes et que le matériel rencontre les spécifications énumérées.

Préparé par



REV.	DESCRIPTION	ECN #	DATE	BY	APPROVED
A	NEW ISSUE	18-544	18.2.13	VM	ML

SPECIFICATION CONTROL DRAWING

PURCHASE MATERIAL : AISI 4140 / 4142 STEEL SHEET OR PLATE
 MINIMUM ROCKWELL C = 28 Rc
 MAXIMUM ROCKWELL C = 32 Rc

SPECIFICATION: ASTM A829, AMS 6395

PART NUMBER: MT-4140-S-[T.TTT] x [W.WWW]
 WHERE "T.TTT" = THICKNESS IN INCHES
 WHERE "W.WWW" = WIDTH IN INCHES (OPTIONAL FOR SPECIFYING CUT PLATE)

EX. 0.063" THICK SHEET = MT-4140-S-0.063
 EX. 3.5" WIDE BY 0.500" THICK PLATE = MT-4140-S-0.500X3.500



TITLE		AISI 4140 / 4142 STEEL SHEET OR PLATE	
PART NO.	MT-4140-S	REV.	A
TOOL NO.		UNLESS OTHERWISE SPECIFIED, DIMENSIONS ARE IN INCHES. DIMENSIONS APPLY AT FURNISHING.	
DESIGNED BY:	VAL 2/13/2018	TOLERANCES:	FRACTIONS 3/16
DRAWN BY:	VM 02/13/2018		DECIMALS .005
CHECKED BY:	VM 02/13/2018		SURFACE 3.1
APPROVED BY:	VM 02/13/2018		ROUGHNESS
APPROVED BY:	VM 02/13/2018	SCALE: NTS	SHEET 1 OF 1
THIS DRAWING IS THE PROPERTY OF DART AEROSPACE LTD. IT IS TO BE USED FOR THE PURPOSES SPECIFIED ONLY. IT IS NOT TO BE REPRODUCED OR TRANSMITTED IN ANY FORM OR BY ANY MEANS, ELECTRONIC OR MECHANICAL, WITHOUT PERMISSION IN WRITING FROM DART AEROSPACE LTD.			

MATERIAL RECEIPT INSPECTION FORM

MATERIAL: MT-4140-S-2.000x6.000

PO / BATCH NO.: P0041051/S115231

DATE: 18/10/09

MATERIAL CERT REC'D: Yes
 QUANTITY RECEIVED: 4ft
 QUANTITY INSPECTED: 4ft
 QUANTITY REJECTED: 0

THICKNESS ORDERED: 2.000"
 THICKNESS RECEIVED: 2.000"
 SHEET SIZE ORDERED: —
 SHEET SIZE RECEIVED: —

DESCRIPTION	NCR (Check Y/N)		COMMENTS
SURFACE DAMAGE	Y	<input checked="" type="radio"/> N	
CORRECT FINISH	<input checked="" type="radio"/> Y	<input checked="" type="radio"/> N	
CORROSION	Y	<input checked="" type="radio"/> N	
CORRECT GRAIN DIRECTION	<input checked="" type="radio"/> Y	<input checked="" type="radio"/> N	
CORRECT MATERIAL PER M-DRAWING	<input checked="" type="radio"/> Y	<input checked="" type="radio"/> N	<u>ASTM A.829</u>
CORRECT THICKNESS	<input checked="" type="radio"/> Y	<input checked="" type="radio"/> N	
PHOTO REQUIRED	Y	<input checked="" type="radio"/> N	
CORRECT REF # TO LINK CERT	<input checked="" type="radio"/> Y	<input checked="" type="radio"/> N	<u>MT-94960</u>
CORRECT MATERIAL IDENTIFICATION	<input checked="" type="radio"/> Y	<input checked="" type="radio"/> N	
CORRECT M# ON THE MATERIAL	<input checked="" type="radio"/> Y	<input checked="" type="radio"/> N	
DOES THIS MATERIAL REQUIRE ENGINEERING SIGN OFF	Y	<input checked="" type="radio"/> N	
DOES THIS REQUIRE AN EXTRUSION REPORT	Y	<input checked="" type="radio"/> N	

CUT SAMPLE PIECE OF MATERIAL AND PREFORM A HARDNESS CHECK.
 RECORD RESULTS BELOW

	HRC	HRB	DUR A	DUR D	WEBSTER
TYPE OF MATERIAL					
SIZE OF TEST SAMPLE					
HARDNESS / DUROMETER READING					

testers located in the Quality Office

QC 18 INSPECTION		ENGINEERING SIGNOFF (if required)	
INSPECTED BY: <u>AT</u> DATE: <u>18/10/09</u>	SIGNED OFF BY: _____ DATE: _____		

Attach this inspection sheet with the corresponding material cert and remit to be scanned and received in

CERTIFICAT D'ANALYSE

DART AEROSPACE LTD
1270, ABERDEEN STREET
HAWKESBURY, ONTARIO
K6A 1K7

2 oct. 2018

Part Number Description Weight
MST12500 1,787 Pounds

Plate 1-1/4 4140/42 Prehard

34.06250 x 145.06250

ASTM A-829

DFARS Compliant

Country of Origin: SLOVENIA

Lot: 425494A

PM Heat: 94492

BHN: 301


C: 0.4200	Mn: 0.8030	P: 0.0070	S: 0.0005	Si: 0.2000
Cr: 0.9900	Mo: 0.1600	Cu: 0.2470	V: 0.0380	Ni: 0.2100

ITEM 7: 1 X 2.125" X 72"

COMMANDE : 138217

REF : 41051

Métaux Solutions inc. certifie que les analyses sur ce document sont exactes et que le matériel rencontre les spécifications énumérées.

Préparé par 

REV.	DESCRIPTION	ECN #	DATE	BY	APPROVED
A	NEW ISSUE	18-544	18.2.13	VM	MT


SPECIFICATION CONTROL DRAWING

PURCHASE MATERIAL : AISI 4140 / 4142 STEEL SHEET OR PLATE
 MINIMUM ROCKWELL C = 28 Rc
 MAXIMUM ROCKWELL C = 32 Rc

SPECIFICATION: ASTM A829, AMS 6395

PART NUMBER: MT-4140-S-(T.TTT) x [W.WWW]
 WHERE "T.TTT" = THICKNESS IN INCHES
 WHERE "W.WWW" = WIDTH IN INCHES (OPTIONAL FOR SPECIFYING CUT PLATE)

EX. 0.063" THICK SHEET = MT-4140-S-0.063
 EX. 3.5" WIDE BY 0.500" THICK PLATE = MT-4140-S-0.500X3.500

 DART AEROSPACE	
TITLE: AISI 4140 / 4142 STEEL SHEET OR PLATE	
PART NO	REV
MT-4140-S	A
TOOL NO.	
DESIGNED BY: VAL 2/13/2018 DRAWN BY: VM 02/13/2018 CHECKED BY: VM 02/13/2018 APPROVED BY: VM 02/13/2018	
INITIALS AND DATE	
TOLERANCES: FRACTIONS 3/16 DECIMALS 0.005 ANGLES 1/2 SURFACE ROUGHNESS	
SCALE: NTS SHEET 1 OF 1	
THIS DRAWING IS THE PROPERTY OF DART AEROSPACE LTD. IT IS TO BE USED FOR THE PURPOSES SPECIFIED ONLY. IT IS NOT TO BE REPRODUCED OR TRANSMITTED IN ANY FORM OR BY ANY MEANS, ELECTRONIC OR MECHANICAL, INCLUDING PHOTOCOPYING, RECORDING, OR BY ANY INFORMATION STORAGE AND RETRIEVAL SYSTEM, WITHOUT THE WRITTEN PERMISSION OF DART AEROSPACE LTD.	

MATERIAL RECEIPT INSPECTION FORM

MATERIAL: MT-4140-S-1.250x2.125

PO / BATCH NO.: P0041051/S115232

DATE: 18/10/09

MATERIAL CERT REC'D: Ks

THICKNESS ORDERED: 1.250"

QUANTITY RECEIVED: 6ft

THICKNESS RECEIVED: 1.250"

QUANTITY INSPECTED: 6ft

SHEET SIZE ORDERED: —

QUANTITY REJECTED: 0

SHEET SIZE RECEIVED: —

DESCRIPTION	NCR (Check Y/N)		COMMENTS
SURFACE DAMAGE	Y	<input checked="" type="checkbox"/>	
CORRECT FINISH	<input checked="" type="checkbox"/>	N	
CORROSION	Y	<input checked="" type="checkbox"/>	
CORRECT GRAIN DIRECTION	<input checked="" type="checkbox"/>	N	
CORRECT MATERIAL PER M-DRAWING	<input checked="" type="checkbox"/>	N	ASTM A-829
CORRECT THICKNESS	<input checked="" type="checkbox"/>	N	
PHOTO REQUIRED	Y	<input checked="" type="checkbox"/>	
CORRECT REF # TO LINK CERT	<input checked="" type="checkbox"/>	N	HT: 94492
CORRECT MATERIAL IDENTIFICATION	<input checked="" type="checkbox"/>	N	
CORRECT M# ON THE MATERIAL	<input checked="" type="checkbox"/>	N	
DOES THIS MATERIAL REQUIRE ENGINEERING SIGN OFF	Y	<input checked="" type="checkbox"/>	
DOES THIS REQUIRE AN EXTRUSION REPORT	Y	<input checked="" type="checkbox"/>	

CUT SAMPLE PIECE OF MATERIAL AND PREFORM A HARDNESS CHECK. RECORD RESULTS BELOW					
	HRC	HRB	DUR A	DUR D	WEBSTER
TYPE OF MATERIAL					
SIZE OF TEST SAMPLE					
HARDNESS / DUROMETER READING					

testers located in the Quality Office

QC 18 INSPECTION		ENGINEERING SIGNOFF (if required)	
INSPECTED BY: <u>AK</u>	SIGNED OFF BY: _____		
DATE: <u>18/10/09</u>	DATE: _____		

Attach this inspection sheet with the corresponding material cert and remit to be scanned and received in